


**PATCH
FITTINGS BY
GLASOFIT**



GLASOFIT™

PREMIUM ARCHITECTURAL HARDWARE

GL-PF-111



• Top Patch Fittings

- **Application** Top patch for openable frameless glass door fitting
- **Material** Aluminum Alloy Body, SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-113



• Patch Lock


- **Application** Top Lock Openable Frameless Glass Door
- **Material** Aluminum Alloy Body, SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-112



• Bottom Patch Fittings

- **Application** Bottom patch for openable frameless glass door fitting
- **Material** Aluminum Alloy Body, SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-113 SB



• Strike Box


- **Application** To Lock Double Openable Glass Door At Center
- **Material** Aluminum Alloy Body, SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-114



• Over Panel Fittings


- **Application** To Fix Over Panel Patch with wall
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-116



• Big “L” Patch Drawing


- **Application** To Fix Over Glass Panel & Side Glass Panel For Farmless
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-115



• Small “L” Patch Fitting Drawing


- **Application** To Fix Over Glass Panel & Side Glass Panel For Framless
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-117



• Top Patch Pivot Fitting Drawing


- **Application** To Pivot For Framless Openable Glass Door Fitting
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish CP MATT Black

GL-PF-118



• Right Patch Pivot


- **Application** To Fix Over Glass Panel & Side Glass Panel Patch With Right Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

PVD Finish						
Finish	CP	MATT	Black	GOLD	ROSS GOLD	Grey

GL-PF-119



• Left Patch Pivot


- **Application** To Fix Over Glass Panel & Side Glass Panel Patch With Left Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

PVD Finish						
Finish	CP	MATT	Black	GOLD	ROSS GOLD	Grey

GL-PF-120



• Over Panel "T" Patch


- **Application** To Fix Over Glass Panel & Side Back To Back Double With Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

PVD Finish						
Finish	CP	MATT	Black	GOLD	ROSS GOLD	Grey

GL-PF-121



• Bottom Bearing Pivot Fitting


- **Application** Bottom Bearing Pivot For Wooden & Aluminum Door Fitting
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

PVD Finish						
Finish	CP	MATT	Black	GOLD	ROSS GOLD	Grey

GL-PF-122




- Right Patch Pivot
- **Application** To Fix Over Glass Panel & Side Glass Panel Patch With Right Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☒ MATT ☐ Black

GL-PF-124




- Over Panel "T" Patch
- **Application** To Fix Over Glass Panel & Side Back To Back Double With Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☒ MATT ☐ Black

GL-PF-123



- Left Patch Pivot
- **Application** To Fix Over Glass Panel & Side Glass Panel Patch With Left Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☒ MATT ☐ Black

GL-PF-125




- Bottom Bearing Pivot Fitting
- **Application** Bottom Bearing Pivot For Wooden & Aluminum Door Fitting
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☒ MATT ☐ Black

GL-PF-126



- Right Patch Pivot

- **Application** To Fix Over Glass Panel & Side Glass Panel Patch With Right Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-PF-645



- Connector Patch


- **Application** To Fix Two Glass Panel with Fixed Structure
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-PF-644



- Patch Connector


- **Application** To Fix Single Glass Panel with Fixed Structure
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-PF-646



- Connector Patch

- **Application** To Fix Two Glass Panel with Fixed Structure
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-PF-647





• Connector Patch

- **Application** To Fix Over Glass Panel & Side Glass Panel Patch With Right Fin Support
- **Material** Aluminum Alloy Body,SS-304 Cover Plate

For Glass Thickness in mm

8-10

Finish ☐ CP ☒ MATT ☐ Black



Premium Range



Scan Me



SPIRE TECHNOKRAFT

📍 Glasofit
Office No. 201-2-3,JP Tower,
Tagor Road,Rajkot-360002
Gujarat-India

✉️ glasofit@gmail.com

☎️ +91 87805 76337

📞 +91 87805 76337

🌐 www.glasofit.com